

**REMARKS/ARGUMENTS**

Favorable reconsideration of this application, as presently amended and in light of the following discussion, is respectfully requested.

Claims 1-41 are presently pending in this application, Claims 42-129 having been withdrawn from further consideration by the Examiner, Claims 42-129 having been canceled, Claims 1 and 24 having been amended by the present amendment.

In the outstanding Office Action, Claims 1-41 were rejected under 35 U.S.C. §103(a) as being unpatentable over Zhao et al. (U.S. Patent 6,538,087).

Claims 1 and 24 have been amended to clarify the subject matter recited therein. These amendments find support in the specification, claims and/or drawings as originally filed, and no new matter is believed to be added thereby. If, however, the Examiner disagrees, the Examiner is invited to telephone the undersigned who will be happy to work in a joint effort to derive mutually satisfactory claim language.

Briefly recapitulating, Claim 1 of the present invention is directed to a photo-induced thermally developable film and recites: “a polymer matrix having a first refractive index; at least one monomer compatible with the polymer matrix and having a second refractive index different from the first refractive index; a procatalyst, where the procatalyst is convertible to a latently active form, the latently active form of the procatalyst is convertible to an active form, and the active form of the procatalyst is capable of polymerizing the at least one monomer; and a cocatalyst, where the cocatalyst is suitable for converting the procatalyst to the latently active form upon exposure to actinic radiation and the latently active form is convertible to the active form upon heating to a first temperature.”

The Office Action states that “Zhao et al. a polymeric composition for forming waveguides including a norbornene polymer/oligomer, crosslinking agent, a catalyst system having a procatalyst and a co-catalyst which fall within the scope of the instant claim

limitations ....” However, it is respectfully submitted that Zhao et al. fails to teach or suggest “a cocatalyst, where the cocatalyst is suitable for *converting the procatalyst to the latently active form upon exposure to actinic radiation* and the latently active form is convertible to the active form upon heating to a first temperature” as recited in Claim 1. Instead, Zhao et al. only describes “the catalysts … [which] can be prepared as *a preformed single component catalyst* in solvent or can be prepared in situ by admixing the catalyst precursor components in the desired monomer to be polymerized.<sup>1</sup> According to Zhao et al., “the [catalyst preparation] reaction is carried out by dissolving the pro-catalyst in a suitable solvent and admixing the appropriate ligand(s) and the salts of the desired weakly coordinating anion with the dissolved pro-catalyst, and optionally heating the solution until the reaction is complete.”<sup>2</sup> Furthermore, Zhao et al. states that “[t]he in situ reactions for preparing the catalysts of Formula I generally follow the same conditions and reaction schemes as outlined for the preparation of the preformed single component catalysts, the principle difference being that the catalysts are formed in monomer in lie of solvent and that a polymer product is formed.”<sup>3</sup> As such, Zhao et al. merely describes a preformed active catalyst and its preparation involving procatalyst and co-catalyst which is suitable for admixing and optional heating in an appropriate solvent, and nowhere does Zhao et al. disclose or suggest a cocatalyst which converts *a procatalyst by exposing to actinic radiation* such that the procatalyst becomes *a latently active form* capable of being *further converted to an active form upon heating to an appropriate temperature*. Therefore, the photo-induced thermally developable film recited in Claim 1 is clearly distinguishable from Zhao et al., and because Zhao et al. fails to disclose the cocatalyst as recited in Claim 1, its teachings would not render the film recited in Claim 1 obvious.

---

<sup>1</sup> Zhao et al., column 21, lines 11-15.

<sup>2</sup> Id., lines 63-67.

<sup>3</sup> Id., column 27, lines 18-23.

Turning to Claim 24, Claim 24 is directed to a photo-induced thermally developable film and recites: “a polymer matrix having a first refractive index and including a cleavable pendant group; and a photoinitiator which produces a cation and a weakly coordinating anion upon exposure to actinic radiation, where the cleavable pendant group of the polymer matrix is at least partly cleaved upon the exposure to actinic radiation such that the first refractive index of the polymer matrix is altered in a portion of the polymer matrix exposed to the actinic radiation.”

It is respectfully submitted that Zhao et al. does not teach or suggest “a polymer matrix having a first refractive index and including a cleavable pendant group . . . , where the cleavable pendant group of the polymer matrix is at least partly cleaved upon the exposure to actinic radiation such that the first refractive index of the polymer matrix is altered in a portion of the polymer matrix exposed to the actinic radiation” as recited Claim 24. More specifically, Zhao et al. simply describes a polymer which can be crosslinked during a post polymerization curing step (latent crosslinking).<sup>4</sup> According to Zhao et al., “a norbornene-type monomer containing a pendant post crosslinkable functional group is copolymerized into the polycyclic backbone whereupon the functional group is subsequently crosslinked via well known techniques,”<sup>5</sup> and “[b]y post crosslinkable functional group is meant that the functional group is inert to the initial polymerization reaction but is receptive to subsequent chemical reactions to effect the crosslinking of adjacent polymer chains.”<sup>6</sup> Thus, Zhao et al. does not disclose or suggest a polymer matrix having a cleavable pendant group which is at least partly cleaved upon exposure to actinic radiation to change the refractive index of the polymer matrix. The photo-induced thermally developable film recited in Claim 24 is therefore clearly distinguishable from Zhao et al. Furthermore, because Zhao et al. fails to

---

<sup>4</sup> See, for example, Zhao et al., column 48, lines 21-23.

<sup>5</sup> Zhao et al., column 48, lines 23-27.

<sup>6</sup> Id., column 27-31.

disclose the polymer matrix as recited in Claim 24, its teachings would not render the film recited in Claim 24 obvious.


For the foregoing reasons, Claims 1 and 24 are believed to be allowable.

Furthermore, since Claims 2-23 and 2-41 depend directly or indirectly from either Claim 1 or 24, substantially the same arguments set forth above also apply to these dependent claims. Hence, Claims 2-23 and 2-41 are believed to be allowable as well.

In view of the amendments and discussions presented above, Applicants respectfully submit that the present application is in condition for allowance, and an early action favorable to that effect is earnestly solicited.

Respectfully submitted,

OBLON, SPIVAK, McCLELLAND,  
MAIER & NEUSTADT, L.L.P.

  
Akihiro Yamazaki  
Attorney of Record  
Registration No. 46,155

**Edwin D. Garlepp**  
Registration No. 45,330

Customer Number  
**22850**

Tel: (703) 413-3000  
Fax: (703) 413 -2220  
(OSMMN 07/09)